



...for a Warmer Welcome



Barlo Round Top Radiators

Nothing equals
the beauty of a Barlo
Round-Top radiator



Barlo Round-Top Radiators

Compare the smooth, contoured profile of a Barlo Round-Top to the sharp, exposed weld of a Seam-Top radiator and judge for yourself why Barlo is the number one choice for good looks, safety and hygiene.



for advice and information call

01942 671105

fax

01942 261801

www.barlo.co.uk



Barlo Radiators Limited
Spinning Jenny Way,
Leigh, Lancashire, WN7 4PE

Slim and attractive with exceptional performance...

With its smooth, slim and shapely contours, the Barlo Round-Top radiator combines a discreet, modern appearance with high performance and classic good looks.

Altogether safer around the home...

You get safety as well as style with the smooth rounded top of a Barlo radiator. Compare this to the sharp welded edge of a Seam-Top, and you'll see why it's potentially less hazardous to tumbling toddlers or the elderly, with less risk of injury in the event of a fall.

...and more hygienic too

A Barlo Round-Top radiator is so easy to keep clean and hygienic, with none of those awkward top tappings or seams to collect dust, weep or go rusty. The smooth, easy-to-wipe surface of its durable, powder coated finish will keep on looking good year after year.

Such a wide range of sizes...

You can choose from a standard range of 185 Round-Top radiators - and they're all immediately available from stock. So with widths from 300mm (11") and five heights down to 320mm (12") you've got just about the most versatile range available, with size and heat output options to meet the most demanding of specifications.

No need to cover up

Whilst the crude appearance of the Seam-Top radiators may be overcome by adding top grilles and side panels, this does reduce their efficiency and long term durability.

Radiators for every room in the house

Enjoy year-round comfort in the bathroom with Barlo's range of dual power towel radiators. And for worry free warmth in the nursery or children's room, there's an attractive range of high efficiency Low Surface Temperature (LST) radiators.



Quality you can rely on

All Barlo Round-Top radiators carry the BSI Kitemark to BS EN 442 as a sure sign of their consistent quality and performance, and are manufactured under a quality management system that is independently certified by BSI to conform to BS EN ISO 9001:2000.

Support and advice when you need it





As Europe's largest manufacturer of Round-Top radiators, with a nationwide network of local merchants, Barlo offers comprehensive technical and product support as well as free Windows-based software to calculate radiator sizes and prices quickly, easily and accurately.

A full 5-year warranty as well...

All Barlo Round Top radiators carry a full five year warranty against manufacturing defects - so it's small wonder why so many people choose Barlo with such total confidence.




The Barlo Round-Top Range

	SP Single Panel	SC Single Convactor	DP+ Double Panel Plus	DC Double Convactor
				
HEIGHT	Length available in 100mm increments			
320 mm (12")	-	600 - 2400	-	600 - 2400
420 mm (16")	500 - 1400	500 - 2000	-	500 - 2000
520 mm (20")	500 - 1600	500 - 2200	500 - 1800	500 - 1800
620 mm (24")	500 - 1800	300 - 2200	500 - 1800	300 - 2200
720 mm (28")	500 - 1000	300 - 1800	500 - 1000	300 - 1800

Standard Radiator Valves

MYSON offer a complete range of valve products to complement every type of **MYSON** panel radiator. From the modest but effective **MATCHMATE** to the hand polished elegant decorative range. For full Valves and Controls brochure please telephone Customer Services.



MATCHMATE

The no-nonsense dependable 10bar manual radiator valve.

- Pressure tested in accordance with BS2767
- Available in 8mm, 10mm & 15mm sizes
- Supplied in either Nickel or Brass finish



MATCHMASTER

Chromium plated BS2767-10 compliant valve. Ideal for local authorities with its screw retained cap.

- Conforms to BS2767-10
- Available in 8mm, 10mm, 15mm or 1/2 inch for iron pipe
- Supplied in either Chrome or satin Brass finish



FULLFLOW

The commercial valve with a back seating arrangement, which enables the valves to be serviced without draining the system.

- Conforms to BS2767-10
- Available in 15mm: 1/2 inch or 22mm: 3/4 inch sizes
- Double 'O' ring non-rising spindle



TRV 2Way

Colour matched to **MYSON** radiators, 2-way design, easy to use and the independent 'ricability' reports first choice for thermostat valves.

- Conforms to BS EN215-1
- Available in 8mm, 10mm, 15mm or 1/2 inch & 3/4 inch for iron pipe
- Chrome, Nickel or Brass finish



PPV

A complete range of valves dedicated to plastic pipe, with both **PUSHFIT** and **COMPRESSION 90** available.

- Available in Matchmate, Master & TRV2Way and Decorative format
- 10mm, 15mm Standard PF or PF90 variants and 10mm compression 90 available.
- Unique integral 90 now standard on Chrome valves.